Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	74	Framemaker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/05 15:15
S2	1	Framemaker and Filemaker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/05 15:15
S3	0	(Framemaker and Filemaker) and record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/05 15:19
S4	1	(Framemaker and Filemaker) and field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/05 15:20
S5	0	((((Framemaker and Filemaker) and field) and instruction) and database) and code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/05 15:21
S6	1	((((Framemaker and Filemaker) and field) and instruction) and database) and (code or script or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/05 15:39
S7	8	pagination and (field with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/05 16:59
S8	3	pagination and (field with script)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/05 17:01
S9	12	pagination and (field with (program and code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 15:18

S10	97	aframe	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:12
S11	9	aframe and "file name" and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:39
S12	613	pagination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:39
S13	123	pagination and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:39
S14	76	(pagination and database) and instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:40
S15	68	((pagination and database) and instruction) and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:40
S16	65	(((pagination and database) and instruction) and output) and field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/06 15:40
S17	50	((((pagination and database) and instruction) and output) and field) and code and file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/09 11:40
S18	49	pagination.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/09 14:21
S19	135	pagination.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/09 14:21

S20	1	(pagination.ab. and (access with database)) and instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/09 14:22
S21	5	pagination.ab. and (access with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/09 14:22
S22	4952	"product catalog"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:46
S23	4	"product catalog" and database and pagination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:35
S24	4	"product catalog" and pagination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:46
S25	1	"catalog pagination"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:47
S26	51	catalog and pagination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:47
S27	37	(catalog and pagination) and (directive or instructions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:48
S28	0	((catalog and pagination) and (directive or instructions)) and (field with directive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:48
S29	37	((catalog and pagination) and (directive or instructions)) and (code or scripts or command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:48

S30	36	(((catalog and pagination) and (directive or instructions)) and (code or scripts or command)) and format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 15:49
S31	28	((((catalog and pagination) and (directive or instructions)) and (code or scripts or command)) and format) and (creat$3 with file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 19:58
S32	1	statistic with (orders and monetary and (recency or new))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:45
S33	32	orders and monetary and recency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 20:07
S34	10	(orders and monetary and recency) and statistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/10 20:08
S35	2	"pagination program" and field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 15:16
S36	4	"pagination program"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 15:16
S37	222871	field and record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 15:18
S38	338	(field and record) and paginat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 15:18
S39	1	(((field and record) and paginat$3) and (field with instruction)) and (add$3 with field same record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 15:19

S40	19	((field and record) and paginat$3) and (field with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:24
S41	24	paginat$3 with instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:24
S42	66	paginat$3 with direct$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:25
S43	0	(paginat$3 with instruction) and (paginat$3 with direct$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:25
S44	90	(paginat$3 with instruction) or (paginat$3 with direct$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:25
S45	25	((paginat$3 with instruction) or (paginat$3 with direct$3)) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:26
S46	0	(((paginat$3 with instruction) or (paginat$3 with direct$3)) and database) and ("mark up interchange format" or MIF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:27
S47	0	(((paginat$3 with instruction) or (paginat$3 with direct$3)) and database) and ("markup interchange format" or MIF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:27
S48	1223	"markup interchange format" or MIF	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:32
S49	1	("markup interchange format" or MIF) and paginat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 11:28

S50	0	(("markup interchange format" or MIF) and paginat$3) and database and record and field and directive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:37
S51	1	(("markup interchange format" or MIF) and paginat$3) and database and record and field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:39
S52	67	("markup interchange format" or MIF) and database and record and field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:40
S53	13	(("markup interchange format" or MIF) and database and record and field) and (field with instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:40
S54	0	(((("markup interchange format" or MIF) and database and record and field) and (field with instruction)) and (generat$3 with output)) and paginat$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:40
S55	12	((("markup interchange format" or MIF) and database and record and field) and (field with instruction)) and (generat$3 with output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:41
S56	1	((Framemaker and Filemaker) and field) and instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:42
S57	1	(((Framemaker and Filemaker) and field) and instruction) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 16:42
S58	26339	(creat$3 or generat$3 or design$3) with template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:28
S59	37	((creat$3 or generat$3 or design$3) with template) and paginat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:28

S60	13	(((creat$3 or generat$3 or design$3) with template) and paginat$3) and (generat$ with output)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:27
S61	3675	(creat$3 or generat$3 or design$3) adj template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:28
S62	10	((creat$3 or generat$3 or design$3) adj template) and paginat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:43
S63	0	(((creat$3 or generat$3 or design$3) adj template) and paginat$3) and (add with record)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:44
S64	10	(((creat$3 or generat$3 or design$3) adj template) and paginat$3) and add$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/24 18:44
S65	0	("markup interchange format" or MIF) and Filemaker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 11:29
S66	6	("markup interchange format" or MIF) and Framemaker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 11:29
S67	4	(("markup interchange format" or MIF) and Framemaker) and convert$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 11:29
S68	12778	recipient and address and (bad account or closed account or competitor or non-order or "physical location")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:47
S69	120	(recipient and address and (bad account or closed account or competitor or non-order or "physical location")) and paginat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:47

S70	42	((recipient and address and (bad account or closed account or competitor or non-order or "physical location")) and paginat$3) and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:47
S71	13	(((recipient and address and (bad account or closed account or competitor or non-order or "physical location")) and paginat$3) and output) and catalog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:57
S72	598	catalog with send$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:58
S73	2	(catalog with send$3) and (bad with customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:59
S74	0	(catalog with send$3) and (bad with account)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:59
S75	17	(catalog with send$3) and (recipient with catalog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 14:59
S76	122202	((catalog with send$3) and (recipient with catalog)) and account or competitor or (non with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:00
S77	8	((catalog with send$3) and (recipient with catalog)) and (account or competitor or (non with order))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/26 15:01
S83	59	(pagination with program) and output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 10:27

S84	25	S83 and (generat$3 with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 10:27
S85	1	S84 and (database same product)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 10:30
S86	8	S84 and product	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:02
S87	1760	(image with information) and (product with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:03
S89	238	S87 and (select$3 with record) same product	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:03
S90	124	S89 and (product with image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:04
S91	102	S90 and (image with information same product)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:04
S92	33	S91 and (retriev$3 with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:06

S93	0	S92 and pagina$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:06
S94	21	S92 and (product with feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/28 11:06